



GTK::V3::Gtk::GtkOrientable

Table of Contents

- 1 [Synopsis](#)
- 2 [Methods](#)
 - 2.1 [new](#)
 - 2.2 [\[gtk_orientable_\] set_orientation](#)
 - 2.3 [\[gtk_orientable_\] get_orientation](#)
- 3 [Types](#)
 - 3.1 [GtkOrientation](#)

```
unit class GTK::V3::Gtk::GtkOrientable;  
also is GTK::V3::Glib::GInterface;
```

Synopsis

Methods

new

Create an orientable object.

```
multi submethod BUILD ( :$widget )
```

Create an orientable object using a native object from elsewhere. See also `Gtk::V3::Glib::GObject`.

[gtk_orientable_] set_orientation

```
method gtk_orientable_get_orientation ( GtkOrientation )
```

Sets the orientation of the orientable.

[gtk_orientable_] get_orientation

```
method gtk_orientable_get_orientation ( --> GtkOrientation $orientation )
```

Set the orientation of the orientable.

Types

GtkOrientation

The orientation of the orientable.

- `GTK_ORIENTATION_HORIZONTAL`; horizontal orientation.
- `GTK_ORIENTATION_VERTICAL`; vertical orientation.

Generated using Pod::Render, Pod::To::HTML, Camelia™ (butterfly) is © 2009 by Larry Wall