



local_table.pql

by *Pequel*

sample@youraddress.com

Local Table Example Script

2.2

Table of Contents

Local Table Example Script

| | |
|-------------------------------------|---|
| SCRIPT NAME | 1 |
| DESCRIPTION | 1 |
| 1. PROCESS DETAILS | 1 |
| 1.1 LOCATION | 1 |
| Description | 1 |
| 1.2 DESCRIPTION | 1 |
| Description | 1 |
| Derived Input Field Evaluation | 1 |
| 1.3 NUM_PRODUCTS | 1 |
| Description | 1 |
| 1.4 AVG_COST_PRICE | 1 |
| Description | 1 |
| 2. CONFIGURATION SETTINGS | 2 |
| 2.1 pequeldoc | 2 |
| 2.2 detail | 2 |
| 2.3 script_name | 2 |
| 2.4 header | 2 |
| 2.5 optimize | 2 |
| 2.6 doc_title | 2 |
| 2.7 doc_email | 2 |
| 2.8 doc_version | 2 |
| 3. TABLES | 3 |
| 3.1 LOC_DESCRIPTOR | 3 |
| Data | 3 |
| 4. TABLE INFORMATION SUMMARY | 4 |
| 4.1 Table List Sorted By Table Name | 4 |
| 5. LOCAL_TABLE.PQL | 5 |
| options | 5 |
| description | 5 |
| init table | 5 |
| sort by | 5 |
| group by | 5 |
| input section | 5 |
| output section | 5 |
| 6. PEQUEL GENERATED PROGRAM | 6 |
| 7. ABOUT PEQUEL | 8 |
| COPYRIGHT | 8 |

SCRIPT NAME

local_table.pql

DESCRIPTION

Demonstrates use of local tables. LOC_DESCRIPTOR is a local table. Each line in the 'init table' section contains an entry in this table. Each entry constist of table name key value field list values. The '%' character is used to denote a table name. The parameter contains the key value to look up.

1. PROCESS DETAILS

Input records are read from standard input. The input record contains **8** fields. Fields are delimited by the ' | ' character.

Output records are written to standard output. The output record contains **4** fields. Fields are delimited by the ' | ' character.

Input stream is **sorted** by the input field **LOCATION** (*string*).

Input records are **grouped** by the input field **LOCATION** (*string*).

1.1 LOCATION

Output Field

Description

Set to input field **LOCATION**

1.2 DESCRIPTION

Output Field

Description

Set to input field **LDESCRIP**

Derived Input Field Evaluation

=> %LOC_DESCRIPTOR(LOCATION)

1.3 NUM_PRODUCTS

Output Field

Description

Distinct aggregation on input field **PRODUCT_CODE**.

1.4 AVG_COST_PRICE

Output Field

Description

Avg aggregation on input field **COST_PRICE**.

2. CONFIGURATION SETTINGS

2.1 *pequeldoc*

generate pod / pdf pequel script Reference Guide.: pdf

2.2 *detail*

Include Pequel Generated Program chapter in Pequeldoc: 1

2.3 *script_name*

script filename: local_table.pql

2.4 *header*

write header record to output.: 1

2.5 *optimize*

optimize generated code.: 1

2.6 *doc_title*

document title.: Local Table Example Script

2.7 *doc_email*

document email entry.: sample@youraddress.com

2.8 *doc_version*

document version for pequel script.: 2.2

3. TABLES

3.1 LOC_DESCRIPTOR

Table Type: *local*

Data

NSW — New South Wales
WA — Western Australia
SYD — Sydney
MEL — Melbourne
SA — South Australia
NT — Northern Territory
QLD — Queensland
VIC — Victoria
PER — Perth
ALIC — Alice Springs

4. TABLE INFORMATION SUMMARY

4.1 Table List Sorted By Table Name

LOC_DESCRIPT — 1 (*local*)

5. LOCAL_TABLE.PQL

options

```
pequeldoc(pdf)
detail(1)
script_name(local_table.pql)
header(1)
optimize(1)
doc_title(Local Table Example Script)
doc_email(sample@youraddress.com)
doc_version(2.2)
```

description

Demonstrates use of local tables. LOC_DESCRIPTOR is a local table. Each line in the 'init table' section contains an entry in this table. Each entry consists of table name
key value
field list values.
The '%' character is used to denote a table name. The parameter contains the key value to look up.

init table

```
LOC_DESCRIPTOR NSW New South Wales
LOC_DESCRIPTOR WA Western Australia
LOC_DESCRIPTOR SYD Sydney
LOC_DESCRIPTOR MEL Melbourne
LOC_DESCRIPTOR SA South Australia
LOC_DESCRIPTOR NT Northern Territory
LOC_DESCRIPTOR QLD Queensland
LOC_DESCRIPTOR VIC Victoria
LOC_DESCRIPTOR PER Perth
LOC_DESCRIPTOR ALIC Alice Springs
```

sort by

```
LOCATION string
```

group by

```
LOCATION string
```

input section

```
PRODUCT_CODE
COST_PRICE
DESCRIPTION
SALES_CODE
SALES_PRICE
SALES_QTY
SALES_DATE
LOCATION
LDESCRIPT => %LOC_DESCRIPTOR(LOCATION)
```

output section

| | | |
|---------|----------------|-----------------------|
| string | LOCATION | LOCATION |
| string | DESCRIPTION | LDESCRIPT |
| numeric | NUM_PRODUCTS | distinct PRODUCT_CODE |
| numeric | AVG_COST_PRICE | avg COST_PRICE |

6. PEQUEL GENERATED PROGRAM

```
# vim: syntax=perl ts=4 sw=4
#-----+
#Generated By: pequel Version 2.2-9, Build: Tuesday September 13 08:43:08 BST 2005
#           : https://sourceforge.net/projects/pequel/
#Script Name : local_table.pql
#Created On : Tue Sep 13 10:30:16 2005
#For          :
#-----+
#Options:
#pequeldoc(pdf) generate pod / pdf pequel script Reference Guide.
#detail(1) Include Pequel Generated Program chapter in Pequeldoc
#script_name(local_table.pql) script filename
#header(1) write header record to output.
#optimize(1) optimize generated code.
#doc_title(Local Table Example Script) document title.
#doc_email(sample@youraddress.com) document email entry.
#doc_version(2.2) document version for pequel script.
#-----+
use strict;
local $\"=\n"; local $,="|";
print STDERR '[local_table.pql ' . localtime() . "] Init";
use constant VERBOSE => int 10000;
use constant LAST_ICELL => int 8;
my @_VAL;
my @O_VAL;
my %DISTINCT;
my %AVERAGE;
my $key__I_LOCATION;
my $previous_key__I_LOCATION = undef;
foreach my $f (1..4) { $O_VAL[$f] = undef; }
my $_TABLE_LOC_DESCRIPTOR = &InitLookupLOC_DESCRIPTOR; # ref to %$LOC_DESCRIPTOR hash
use constant _I_PRODUCT_CODE      => int    0;
use constant _I_COST_PRICE       => int    1;
use constant _I_DESCRIPTION      => int    2;
use constant _I_SALES_CODE       => int    3;
use constant _I_SALES_PRICE      => int    4;
use constant _I_SALES_QTY        => int    5;
use constant _I_SALES_DATE       => int    6;
use constant _I_LOCATION         => int    7;
use constant _I_LDESCRIPTOR     => int    8;
use constant _O_LOCATION         => int    1;
use constant _O_DESCRIPTION      => int    2;
use constant _O_NUM_PRODUCTS     => int    3;
use constant _O_AVG_COST_PRICE   => int    4;
use constant _T_LOC_DESCRIPTOR_FLD_1 => int    0;
use constant _I_LOC_DESCRIPTOR_LOCATION_FLD_KEY => int    9;
use constant _I_LOC_DESCRIPTOR_LOCATION_FLD_1 => int    10;
open(DATA, q{cat - | sort -t'|' -y -k 8,8 |}) || die "Cannot open input: $!";
&PrintHeader();
print STDERR '[local_table.pql ' . localtime() . "] Start";
use Benchmark;
my $benchmark_start = new Benchmark;
while (<DATA>)
{
    print STDERR '[local_table.pql ' . localtime() . "] $. records." if ($. % VERBOSE == 0);
    chomp;
    @_VAL = split("[|]", $_);
    $key__I_LOCATION = $_VAL[_I_LOCATION];
    if (!defined($previous_key__I_LOCATION))
    {
        $previous_key__I_LOCATION = $key__I_LOCATION;
    }

    elsif ($previous_key__I_LOCATION ne $key__I_LOCATION)
    {
        $O_VAL[_O_AVG_COST_PRICE] = ($AVERAGE{_O_AVG_COST_PRICE}{_COUNT} == 0 ? 0 : $AVERAGE{_O_AVG_COST_PRICE}{_SUM} / $AVERAGE{_O_AVG_COST_PRICE}{_COUNT});
        print
            $O_VAL[_O_LOCATION],
            $O_VAL[_O_DESCRIPTION],
            $O_VAL[_O_NUM_PRODUCTS],
            $O_VAL[_O_AVG_COST_PRICE]
        ;
        $previous_key__I_LOCATION = $key__I_LOCATION;
        @O_VAL = undef;
        %DISTINCT = undef;
        %AVERAGE = undef;
    }

    $O_VAL[_O_LOCATION] = $_VAL[_I_LOCATION];
}
```

```

$_I_VAL[ $_I_LDESCRIPT ] = $$TABLE_LOC_DESCRIPTOR{qq{$I_VAL[ $_I_LOCATION ]}};
$_O_VAL[ $_O_DESCRIPTION ] = $I_VAL[ $_I_LDESCRIPT ];
$_O_VAL[ $_O_NUM_PRODUCTS ]++ if (defined($I_VAL[ $_I_PRODUCT_CODE ]) && ++$DISTINCT{$_O_NUM_PRODUCTS}{qq{$I_VAL[ $_I_PRODUCT_CODE ]}} == 1);
    $AVERAGE{$_O_AVG_COST_PRICE}{_SUM} += $I_VAL[ $_I_COST_PRICE ];
    $AVERAGE{$_O_AVG_COST_PRICE}{_COUNT}++;
}

$_O_VAL[ $_O_AVG_COST_PRICE ] = ($AVERAGE{$_O_AVG_COST_PRICE}{_COUNT} == 0 ? 0 : $AVERAGE{$_O_AVG_COST_PRICE}{_SUM} / $AVERAGE{$_O_AVG_COST_PRICE}{_COUNT});
print
    $_O_VAL[ $_O_LOCATION ],
    $_O_VAL[ $_O_DESCRIPTION ],
    $_O_VAL[ $_O_NUM_PRODUCTS ],
    $_O_VAL[ $_O_AVG_COST_PRICE ]
;

print STDERR '[local_table.pql ' . localtime() . "] $ . records.";
my $benchmark_end = new Benchmark;
my $benchmark_timediff = timediff($benchmark_start, $benchmark_end);
print STDERR '[local_table.pql ' . localtime() . "] Code statistics: @{[timestr($benchmark_timediff)]}";
#-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
##### Table LOC_DESCRIPTOR --> Type :Pequel::Type::Table::Local #####
sub InitLookupLOC_DESCRIPTOR
{
    my %_TABLE_LOC_DESCRIPTOR;
    %_TABLE_LOC_DESCRIPTOR =
    (
        'ALIC' => 'Alice Springs',
        'MEL' => 'Melbourne',
        'NSW' => 'New South Wales',
        'NT' => 'Northern Territory',
        'PER' => 'Perth',
        'QLD' => 'Queensland',
        'SA' => 'South Australia',
        'SYD' => 'Sydney',
        'VIC' => 'Victoria',
        'WA' => 'Western Australia'
    );
    return \%_TABLE_LOC_DESCRIPTOR;
}

sub PrintHeader
{
    local $\="\\n";
    local $,="|";
    print
        'LOCATION',
        'DESCRIPTION',
        'NUM_PRODUCTS',
        'AVG_COST_PRICE'
    ;
}

```

7. ABOUT PEQUEL

This document was generated by Pequel.

<https://sourceforge.net/projects/pequel/>

COPYRIGHT

Copyright ©1999-2005, Mario Gaffiero. All Rights Reserved.

'Pequel' TM Copyright ©1999-2005, Mario Gaffiero. All Rights Reserved.

This program and all its component contents is copyrighted free software by Mario Gaffiero and is released under the GNU General Public License (GPL), Version 2, a copy of which may be found at <http://www.opensource.org/licenses/gpl-license.html>

Pequel is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

Pequel is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with Pequel; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

