

Research Article

Network-Based Robust H_∞ Filtering for the Uncertain Systems with Sensor Failures and Noise Disturbance

Mingang Hua,^{1,2,3} Pei Cheng,⁴ Juntao Fei,¹
Jianyong Zhang,⁵ and Junfeng Chen¹

¹ College of Computer and Information, Hohai University, Changzhou 213022, China

² Changzhou Key Laboratory of Sensor Networks and Environmental Sensing, Changzhou 213022, China

³ Jiangsu Key Laboratory of Power Transmission and Distribution Equipment Technology, Changzhou 213022, China

⁴ School of Mathematical Sciences, Anhui University, Hefei 230601, China

⁵ Department of Mathematics and Physics, Hohai University, Changzhou 213022, China

Correspondence should be addressed to Mingang Hua, mghua@yahoo.cn

Received 24 September 2012; Revised 20 November 2012; Accepted 24 November 2012

Academic Editor: Zhan Shu

Copyright © 2012 Mingang Hua et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

The network-based robust H_∞ filtering for the uncertain system with sensor failures and the noise is considered in this paper. The uncertain system under consideration is also subject to parameter uncertainties and delay varying in an interval. Sufficient conditions are derived for a linear filter such that the filtering error systems are robust globally asymptotically stable while the disturbance rejection attenuation is constrained to a given level by means of the H_∞ performance index. These conditions are characterized in terms of the feasibility of a set of linear matrix inequalities (LMIs), and then the explicit expression is then given for the desired filter parameters. Two numerical examples are exploited to show the usefulness and effectiveness of the proposed filter design method.

1. Introduction

Networked control system (NCS) is a new control system structure where sensor-controller and controller-actuator signal link is through a shared communication network. Therefore, networked control systems have become an active research area in recent years in [1–3]. Recently, the filter design for networked systems become an active research area due to the advantages of using networked media in many aspects such as low cost, reduced weight and power requirements, simple installation and maintenance, and high reliability

in [4–10]. On the other hand, with the increasing of the working time in the domain of industry, some parts of the control system (e.g., actuator and sensor) can always be invalid. By time-scale decomposition, the reliable H_∞ control for linear time-invariant multiparities singularly perturbed systems against sensor failures is studied in [11]. For systems with both state and input time delays, a novel state and sensor fault observer is proposed to estimate system states and sensor faults simultaneously in [12]. A new robust H_∞ filtering problem is investigated for a class of time-varying nonlinear system with norm-bounded parameter uncertainties, bounded state delay, sector-bounded nonlinearity, and probabilistic sensor gain faults in [13]. The robust output feedback controller design for uncertain delayed systems with sensor failure and time delay is considered in [14]. The problems of robust fault estimation and fault-tolerant control for Takagi-Sugeno fuzzy systems with time delays and unknown sensor faults are addressed in [15]. The robust filtering problem for a class of discrete time-varying Markovian jump systems with randomly occurring nonlinearities and sensor saturation is studied in [16]. The robust H_∞ infinite-horizon filtering problem for a class of uncertain nonlinear discrete time-varying stochastic systems with multiple missing measurements and error variance constraints is considered in [17]. The problem of distributed H_∞ filtering in sensor networks using a stochastic sampled-data approach is investigated in [18]. The problems of stability analysis, H_∞ performance analysis, and robust H_∞ filter design for uncertain Markovian jump linear systems with time-varying delays are considered in [19].

In distributed industrial and military NCSs, sensors can be in a hostile environment and subject to failure and malfunction. Recently, the H_∞ filtering problem for NCSs has received considerable attention. The problem of designing H_∞ filters for a class of nonlinear networked control systems with transmission delays and packet losses is investigated in [20]. The control problems of networked control system with fault/failure of sensors and actuators are also received attention. The reliable control of a class of nonlinear NCSs via T-S fuzzy model with probabilistic sensor and actuator faults/failures, measurement distortion, time-varying delay, packet loss, and norm-bounded parameter uncertainties is investigated in [20]. Recently, based on T-S fuzzy model, the robust and reliable H_∞ filter design for a class of nonlinear networked control systems is investigated with probabilistic sensor failure in [21]. The reliable filtering problem for network-based linear continuous-time system with sensor failures has been studied in [22]. However, the proposed filter design approach [21, 22] do not consider the systems with uncertainty. The time delay has restriction when the rate of delay is differential, which is only applicable to unknown rate of time delay. No delay-dependent H_∞ filtering results on the uncertain networked control systems with sensor failures and disturbance noise are available in the literature, which motivates the present study.

In this paper, based on the delay-dependent stability criteria proposed in [23], a delay-dependent H_∞ performance analysis result is established for the filtering error systems. A new sensor failure model with uncertainties is proposed, and a new different Lyapunov functional is then employed to deal with systems with sensor failures and uncertainties. As a result, the H_∞ filter is designed in terms of linear matrix inequalities (LMIs), which involves fewer matrix variables but has less conservatism. The resulting filters can ensure that the filtering error system is asymptotically stable and the estimation error is bounded by a prescribed level for all possible bounded energy disturbances, which has advantages over the results of [22] in that it involves fewer matrix variables but has less conservatism. Meanwhile, the parameter uncertainties for system with sensor failures and the noise are considered in this paper, which are more general cases. Finally, two examples are given to show the effectiveness of the proposed method. This paper is organized as follows. Section 2

describes the system model and presents the definition and some lemmas. The robust H_∞ filter design method is derived in Section 3. Section 4 includes two simulation examples.

2. Problem Description

Throughout this paper, \mathbb{R}^n denotes the n -dimensional Euclidean space, and $\mathbb{R}^{n \times m}$ is the set of $n \times m$ real matrices. I is the identity matrix, $\|\cdot\|$ stands for the induced matrix 2 norm, and M^T stands for the transpose of the matrix M . For symmetric matrices X and Y , the notation $X > Y$ (resp., $X \geq Y$) means that the $X - Y$ is positive definite (resp., positive semidefinite). $*$ denotes a block that is readily inferred by symmetry.

Consider the following uncertain systems:

$$\begin{aligned} \dot{x}(t) &= (A + \Delta A(t))x(t) + (B + \Delta B(t))w(t), \\ y(t) &= (C + \Delta C(t))x(t), \\ z(t) &= Lx(t), \end{aligned} \quad (2.1)$$

where $x(t) \in \mathbb{R}^n$ is the state vector, $y(t) \in \mathbb{R}^q$ is the measurable output vector, the noise disturbance $w(t) \in \mathbb{R}^d$ is external plant belongs to $L_2[0, \infty]$, and $z(t)$ is a signal to be estimated. A , B , C , and L are known real constant matrices, $\Delta A(t)$, $\Delta B(t)$, and $\Delta C(t)$ are unknown matrices representing time-varying parameter uncertainties, and the admissible uncertainties are assumed to be modeled in the form:

$$[\Delta A(t) \quad \Delta B(t)] = M_1 F(t) [N_1 \quad N_2], \quad \Delta C(t) = M_2 F(t) N_3, \quad (2.2)$$

where M_1, M_2, N_1, N_2 , and N_3 are known constant matrices, $F(t)$ is unknown time-varying matrices with Lebesgue measurable elements bounded by

$$F^T(t)F(t) \leq I. \quad (2.3)$$

Assumption 1

The considered NCS consists of a time-driven sensor.

Assumption 2

There exist some sensor failures in the feedback channel.

Considering the effect of the common network on the data transmission, the filter can be expressed as

$$\begin{aligned} \dot{x}_f(t) &= A_f x_f(t) + B_f y_s(i_k h) \quad t \in [i_k h + \tau_{i_k}, i_{k+1} h + \tau_{i_{k+1}}), \\ z_f(t) &= C_f x_f(t) \quad k = 1, 2, \dots, \end{aligned} \quad (2.4)$$

where $x_f(t)$ represents the state estimate, $y_s(i_k h)$ is the output with sensor failures, $z_f(t)$ is the estimated output, A_f, B_f , and C_f are the filter parameters to be designed. h denotes the

sampling period, and $i_k (k = 1, 2, 3, \dots)$ are some integers such that $\{i_1, i_2, i_3, \dots\} \subset \{1, 2, 3, \dots\}$. τ_{i_k} is the time from the instant $i_k h$ when sensors sample from the plant to the instant when actuators send control actions to the plant. Obviously, $\bigcup_{k=1}^{\infty} [i_k h + \tau_{i_k}, i_{k+1} h + \tau_{i_{k+1}}) = [t_0, \infty)$, $t \geq 0$.

Remark 2.1. In (2.4), $\{i_1, i_2, i_3, \dots\}$ is a subset of $\{1, 2, 3, \dots\}$. Moreover, it is not required that $i_{k+1} > i_k$. When $\{i_1, i_2, i_3, \dots\} = \{1, 2, 3, \dots\}$, it means that no packet dropout occurs in the transmission. If $i_{k+1} > i_k + 1$, there are dropped packets but the received packets are in ordered sequence. If $i_{k+1} < i_k + 1$, it means out-of-order packet arrival sequences occur. If $i_{k+1} = i_k + 1$, it implies that $h + \tau_{k+1} > \tau_k$, which includes $\tau_k = \hat{\tau}$ and $\tau_k < h$ as special cases, where $\hat{\tau}$ is a constant.

Remark 2.2. Since $i_k h = t - (t - i_k h)$, define $\tau(t) = t - i_k h, t \in [i_k h + \tau_{i_k}, i_{k+1} h + \tau_{i_{k+1}})$, which denotes the time-varying delay in the control signal. Obviously,

$$\tau_k \leq \tau(t) \leq (i_{k+1} - i_k)h + \tau_{k+1} \quad t \in [i_k h + \tau_{i_k}, i_{k+1} h + \tau_{i_{k+1}}) \quad (2.5)$$

which implies that

$$0 \leq \tau_1 \leq \tau(t) \leq \tau_2, \quad (2.6)$$

where τ_1 and τ_2 denote infimum of τ_k and supremum of $[(i_{k+1} - i_k)h + \tau_{k+1}]$, respectively.

Our aim in this paper is to design a robust H_∞ filter in the form of (2.4) such that

- (i) system (2.1) is said to be robust globally asymptotically stable, subject to $w(t) = 0$, for all admissible uncertainties satisfying (2.2)-(2.3);
- (ii) for the given disturbance attenuation level $\gamma > 0$ and under zero initial condition, the performance index γ satisfies the following inequality:

$$\|z(t)\|_2 < \|\gamma w(t)\|_2. \quad (2.7)$$

For an easy exposition of our results, we first consider the following systems with no uncertain parameters:

$$\begin{aligned} \dot{x}(t) &= Ax(t) + Bw(t), \\ y(t) &= Cx(t), \\ z(t) &= Lx(t). \end{aligned} \quad (2.8)$$

The switch matrix G for filter (2.4) is introduced against sensor failures as follows:

$$G = \text{diag}(g_1, g_2, \dots, g_n), \quad (2.9)$$

where

$$g_i = \begin{cases} 1 & \text{the } i\text{th sensor is complete normal} \\ \alpha \ (0 < \alpha < 1) & \text{the } i\text{th sensor partially fails, } i = 1, 2, \dots, n \\ 0 & \text{the } i\text{th sensor completely fails.} \end{cases} \quad (2.10)$$

From above analysis and (2.4), then we can get the output of the sensor failures

$$y_s(t) = y_s(i_k h) = GCx(t - \tau(t)) \quad t \in [i_k h + \tau_{i_k}, i_{k+1} h + \tau_{i_{k+1}}) \quad (2.11)$$

so the filter (2.4) under consideration is of the following structure:

$$\begin{aligned} \dot{x}_f(t) &= A_f x_f(t) + B_f GCx(t - \tau(t)), \\ z_f(t) &= C_f x_f(t). \end{aligned} \quad (2.12)$$

Define $\zeta(t) = \begin{bmatrix} x(t) \\ x_f(t) \end{bmatrix}$ and the filter errors $e(t) = z(t) - z_f(t)$, then the filtering error system can be represented as follows:

$$\begin{aligned} \dot{\zeta}(t) &= \bar{A}\zeta(t) + \bar{A}_d x(t - \tau(t)) + \bar{B}w(t), \\ e(t) &= \bar{L}\zeta(t), \end{aligned} \quad (2.13)$$

where

$$\bar{A} = \begin{bmatrix} A & 0 \\ 0 & A_f \end{bmatrix}, \quad \bar{A}_d = \begin{bmatrix} 0 \\ B_f GC \end{bmatrix}, \quad \bar{B} = \begin{bmatrix} B \\ 0 \end{bmatrix}, \quad \bar{L} = [L \quad -C_f GC]. \quad (2.14)$$

Throughout this paper, we use the following lemmas.

Lemma 2.3 (see [24]). *Given constant matrices Γ_1 , Γ_2 , and Γ_3 with appropriate dimensions, where $\Gamma_1^T = \Gamma_1$ and $\Gamma_2^T = \Gamma_2 > 0$, then*

$$\Gamma_1 + \Gamma_3^T \Gamma_2^{-1} \Gamma_3 < 0 \quad (2.15)$$

if and only if

$$\begin{bmatrix} \Gamma_1 & \Gamma_3^T \\ \Gamma_3 & -\Gamma_2 \end{bmatrix} < 0, \quad \text{or} \quad \begin{bmatrix} -\Gamma_2 & \Gamma_3 \\ \Gamma_3^T & \Gamma_1 \end{bmatrix} < 0. \quad (2.16)$$

where

$$\begin{aligned}\Sigma_{11} &= P\bar{A} + \bar{A}^T P + H^T(Q_1 + Q_2 + Q_3 - R_1)H, \\ \Sigma_{22} &= -(1 - \mu)Q_3 - 3R_2, \quad \mathcal{R} = \tau_1^2 R_1 + \tau_{21}^2 R_2, \quad \tau_{21} = \tau_2 - \tau_1.\end{aligned}\quad (3.3)$$

Proof. Consider the Lyapunov-Krasovskii functional candidate as follows:

$$\begin{aligned}V(x_t) &= \zeta^T(t)P\zeta(t) + \int_{t-\tau_1}^t x^T(s)Q_1x(s)ds + \int_{t-\tau_2}^t x^T(s)Q_2x(s)ds + \int_{t-\tau(t)}^t x^T(s)Q_3x(s)ds \\ &+ \int_{-\tau_1}^0 \int_{t+\theta}^t \tau_1 \dot{x}^T(s)R_1\dot{x}(s)ds d\theta + \int_{-\tau_2}^{-\tau_1} \int_{t+\theta}^t \tau_{21} \dot{x}^T(s)R_2\dot{x}(s)ds d\theta.\end{aligned}\quad (3.4)$$

Calculating the time derivative of along the trajectory of system (3.4), one has

$$\begin{aligned}\dot{V}(x_t) &\leq 2x^T(t)P\left[\bar{A}\zeta(t) + \bar{A}_d x(t - \tau(t)) + P\bar{B}w(t)\right] + \sum_{i=1}^3 x^T(t)Q_i x(t) \\ &- \sum_{i=1}^2 x^T(t - \tau_i)Q_i x(t - \tau_i) + \eta^T(t)[HA \ 0 \ 0 \ 0 \ B]^T \mathcal{R}[HA \ 0 \ 0 \ 0 \ B]\eta(t) \\ &- \int_{t-\tau_1}^t \tau_1 \dot{x}^T(s)R_1\dot{x}(s)ds - \int_{t-\tau_2}^{t-\tau_1} \tau_{21} \dot{x}^T(s)R_2\dot{x}(s)ds,\end{aligned}\quad (3.5)$$

where

$$\eta^T(t) = \left[\zeta^T(t) x^T(t - \tau(t)) x^T(t - \tau_1) x^T(t - \tau_2) w^T(t) \right]. \quad (3.6)$$

By using Lemma 2.3, we have that

$$- \int_{t-\tau_1}^t \tau_1 \dot{x}^T(s)R_1\dot{x}(s)ds \leq \begin{bmatrix} \zeta(t) \\ x(t - \tau_1) \end{bmatrix}^T \begin{bmatrix} -H^T R_1 H & H^T R_1 \\ R_1 H & -R_1 \end{bmatrix} \begin{bmatrix} \zeta(t) \\ x(t - \tau_1) \end{bmatrix}. \quad (3.7)$$

On the other hand,

$$\begin{aligned}
-\int_{t-\tau_2}^{t-\tau_1} \tau_{21} \dot{x}^T(s) R_2 \dot{x}(s) ds &= -\int_{t-\tau_2}^{t-\tau(t)} \tau_{21} \dot{x}^T(s) R_2 \dot{x}(s) ds - \int_{t-\tau(t)}^{t-\tau_1} \tau_{21} \dot{x}^T(s) R_2 \dot{x}(s) ds \\
&= -\int_{t-\tau_2}^{t-\tau(t)} (\tau_2 - \tau(t)) \dot{x}^T(s) R_2 \dot{x}(s) ds \\
&\quad - \int_{t-\tau_2}^{t-\tau(t)} (\tau(t) - \tau_1) \dot{x}^T(s) R_2 \dot{x}(s) ds \\
&\quad - \int_{t-\tau(t)}^{t-\tau_1} (\tau(t) - \tau_1) \dot{x}^T(s) R_2 \dot{x}(s) ds \\
&\quad - \int_{t-\tau(t)}^{t-\tau_1} (\tau_2 - \tau(t)) \dot{x}^T(s) R_2 \dot{x}(s) ds.
\end{aligned} \tag{3.8}$$

Set

$$\beta = \frac{(\tau(t) - \tau_1)}{\tau_{21}}. \tag{3.9}$$

Then

$$\begin{aligned}
-\int_{t-\tau_2}^{t-\tau(t)} (\tau(t) - \tau_1) \dot{x}^T(s) R_2 \dot{x}(s) ds &= -\beta \int_{t-\tau_2}^{t-\tau(t)} \tau_{21} \dot{x}^T(s) R_2 \dot{x}(s) ds \\
&\leq -\beta \int_{t-\tau_2}^{t-\tau(t)} (\tau_2 - \tau(t)) \dot{x}^T(s) R_2 \dot{x}(s) ds, \\
-\int_{t-\tau(t)}^{t-\tau_1} (\tau_2 - \tau(t)) \dot{x}^T(s) R_2 \dot{x}(s) ds &= -(1-\beta) \int_{t-\tau(t)}^{t-\tau_1} \tau_{21} \dot{x}^T(s) R_2 \dot{x}(s) ds. \\
&\leq -(1-\beta) \int_{t-\tau(t)}^{t-\tau_1} (\tau(t) - \tau_1) \dot{x}^T(s) R_2 \dot{x}(s) ds.
\end{aligned} \tag{3.10}$$

Combining (3.8)–(3.10) and by Lemma 2.4, we have

$$\begin{aligned}
-\int_{t-\tau_2}^{t-\tau_1} \tau_{12} \dot{x}^T(s) R_2 \dot{x}(s) ds &\leq -\begin{bmatrix} x(t-\tau(t)) \\ x(t-\tau_2) \end{bmatrix}^T \begin{bmatrix} R_2 & -R_2 \\ -R_2 & R_2 \end{bmatrix} \begin{bmatrix} x(t-\tau(t)) \\ x(t-\tau_2) \end{bmatrix} \\
&\quad - \begin{bmatrix} x(t-\tau_1) \\ x(t-\tau(t)) \end{bmatrix}^T \begin{bmatrix} R_2 & -R_2 \\ -R_2 & R_2 \end{bmatrix} \begin{bmatrix} x(t-\tau_1) \\ x(t-\tau(t)) \end{bmatrix} \\
&\quad - \beta \begin{bmatrix} x(t-\tau(t)) \\ x(t-\tau_2) \end{bmatrix}^T \begin{bmatrix} R_2 & -R_2 \\ -R_2 & R_2 \end{bmatrix} \begin{bmatrix} x(t-\tau(t)) \\ x(t-\tau_2) \end{bmatrix} \\
&\quad - (1-\beta) \begin{bmatrix} x(t-\tau_1) \\ x(t-\tau(t)) \end{bmatrix}^T \begin{bmatrix} R_2 & -R_2 \\ -R_2 & R_2 \end{bmatrix} \begin{bmatrix} x(t-\tau_1) \\ x(t-\tau(t)) \end{bmatrix}.
\end{aligned} \tag{3.11}$$

Combining (3.5), (3.7), and (3.11) yields

$$\dot{V}(x_t) \leq \eta^T(t) \left((1-\beta)\Phi_1 + \beta\Phi_2 + [HA \ 0 \ 0 \ 0 \ B]^T \mathcal{R} [HA \ 0 \ 0 \ 0 \ B] \right) \eta(t), \quad (3.12)$$

where

$$\Phi_1 = \begin{bmatrix} \Sigma_{11} & P\bar{A}_d & H^T R_1 & 0 & P\bar{B} \\ * & \Sigma_{22} & 2R_2 & R_2 & 0 \\ * & * & -Q_1 - R_1 - 2R_2 & 0 & 0 \\ * & * & * & -Q_2 - R_2 & 0 \\ * & * & * & * & 0 \end{bmatrix}, \quad (3.13)$$

$$\Phi_2 = \begin{bmatrix} \Sigma_{11} & P\bar{A}_d & H^T R_1 & 0 & P\bar{B} \\ * & \Sigma_{22} & R_2 & 2R_2 & 0 \\ * & * & -Q_1 - R_1 - R_2 & 0 & 0 \\ * & * & * & -Q_2 - 2R_2 & 0 \\ * & * & * & * & 0 \end{bmatrix}.$$

Under the zero-initial condition, one can obtain that $V(x_t)|_{t=0} = 0$ and $V(x_t) \geq 0$. Define

$$J(t) = \int_0^\infty \left[z^T(t)z(t) - \gamma^2 w^T(t)w(t) \right] dt \quad (3.14)$$

then, for any nonzero $w(t)$,

$$\begin{aligned} J(t) &\leq \int_0^\infty \left[z^T(t)z(t) - \gamma^2 w^T(t)w(t) \right] dt + V(x_t)|_{t \rightarrow \infty} - V(x_t)|_{t=0} \\ &= \int_0^\infty \left[z^T(t)z(t) - \gamma^2 w^T(t)w(t) + \dot{V}(x_t) \right] dt \\ &\leq \int_0^\infty \left[\eta^T(t) \left((1-\beta)\bar{\Phi}_1 + \beta\bar{\Phi}_2 + [HA \ 0 \ 0 \ 0 \ B]^T \mathcal{R} [HA \ 0 \ 0 \ 0 \ B] \right) \eta(t) \right] dt, \end{aligned} \quad (3.15)$$

where

$$\bar{\Phi}_1 = \begin{bmatrix} \Sigma_{11} + \bar{L}^T \bar{L} & P\bar{A}_d & H^T R_1 & 0 & P\bar{B} \\ * & \Sigma_{22} & 2R_2 & R_2 & 0 \\ * & * & -Q_1 - R_1 - 2R_2 & 0 & 0 \\ * & * & * & -Q_2 - R_2 & 0 \\ * & * & * & * & -\gamma^2 I \end{bmatrix}, \quad (3.16)$$

$$\bar{\Phi}_2 = \begin{bmatrix} \Sigma_{11} + \bar{L}^T \bar{L} & P\bar{A}_d & H^T R_1 & 0 & P\bar{B} \\ * & \Sigma_{22} & R_2 & 2R_2 & 0 \\ * & * & -Q_1 - R_1 - R_2 & 0 & 0 \\ * & * & * & -Q_2 - 2R_2 & 0 \\ * & * & * & * & -\gamma^2 I \end{bmatrix}.$$

Due to $0 < \beta < 1$, our elaborate estimation $J(t)$ induces a convex domain of matrices $(1-\beta)\bar{\Phi}_1 + \beta\bar{\Phi}_2$, which are negative definite if and only if $\bar{\Phi}_1 < 0$ and $\bar{\Phi}_2 < 0$. By using Lemma 2.3, the LMIs (3.1) and (3.2) can guarantee $(1-\beta)\bar{\Phi}_1 + \beta\bar{\Phi}_2 + [HA \ 0 \ 0 \ 0 \ B]^T \mathcal{R} [HA \ 0 \ 0 \ 0 \ B] < 0$. Since $w(t) \neq 0$, it implies that $z^T(t)z(t) - \gamma^2 w^T(t)w(t) + \dot{V}(x_t) < 0$, and thus, $J(t) < 0$. That is, $\|z(t)\|_2 < \gamma \|w(t)\|_2$.

Second, we also can prove that under the condition of Theorem 3.1, the filtering error system (2.13) with $w(t) = 0$ is globally asymptotically stable. This completes the proof. \square

3.2. Design of H_∞ Filter

Now based on the previous result, we are in a position to present the main result in this paper, which offers a new networked-based H_∞ filter design approach for the system (2.8).

Theorem 3.2. Consider the system in (2.8). A filter of form (2.12) and constants τ_1 and τ_2 , the filtering error system is globally asymptotically stable with performance γ , if there exist real matrices $P_1 > 0$, $\bar{P}_3 > 0$, $Q_1 > 0$, $Q_2 > 0$, $Q_3 > 0$, $R_1 > 0$, $R_2 > 0$ and any matrices \bar{A}_f , \bar{B}_f , and \bar{C}_f such that the following LMIs are satisfied:

$$\Upsilon_1 = \begin{bmatrix} \bar{\Sigma}_{11} & \bar{A}_f + A^T \bar{P}_3 & \bar{B}_f G C & R_1 & 0 & P_1 B & A^T \mathcal{R} & L^T \\ * & \bar{A}_f + \bar{A}_f^T & \bar{B}_f G C & 0 & 0 & \bar{P}_3 B & 0 & -\bar{C}_f^T \\ * & * & \bar{\Sigma}_{33} & 2R_2 & R_2 & 0 & 0 & 0 \\ * & * & * & \bar{\Sigma}_{441} & 0 & 0 & 0 & 0 \\ * & * & * & * & \bar{\Sigma}_{551} & 0 & 0 & 0 \\ * & * & * & * & * & -\gamma^2 I & B^T \mathcal{R} & 0 \\ * & * & * & * & * & * & -\mathcal{R} & 0 \\ * & * & * & * & * & * & * & -I \end{bmatrix} < 0, \quad (3.17)$$

$$\Upsilon_2 = \begin{bmatrix} \bar{\Sigma}_{11} & \bar{A}_f + A^T \bar{P}_3 & \bar{B}_f G C & R_1 & 0 & P_1 B & A^T \mathcal{R} & L^T \\ * & \bar{A}_f + \bar{A}_f^T & \bar{B}_f G C & 0 & 0 & \bar{P}_3 B & 0 & -\bar{C}_f^T \\ * & * & \bar{\Sigma}_{33} & R_2 & 2R_2 & 0 & 0 & 0 \\ * & * & * & \bar{\Sigma}_{442} & 0 & 0 & 0 & 0 \\ * & * & * & * & \bar{\Sigma}_{552} & 0 & 0 & 0 \\ * & * & * & * & * & -\gamma^2 I & B^T \mathcal{R} & 0 \\ * & * & * & * & * & * & -\mathcal{R} & 0 \\ * & * & * & * & * & * & * & -I \end{bmatrix} < 0, \quad (3.18)$$

$$\bar{P}_3 - P_1 < 0, \quad (3.19)$$

where

$$\begin{aligned} \bar{\Sigma}_{11} &= PA_1 + A_1^T P + Q_1 + Q_2 + Q_3 - R_1, & \bar{\Sigma}_{33} &= -(1-\mu)Q_3 - 3R_2, \\ \bar{\Sigma}_{441} &= -Q_1 - R_1 - 2R_2, & \bar{\Sigma}_{442} &= -Q_1 - R_1 - R_2 \\ \bar{\Sigma}_{551} &= -Q_2 - R_2, & \bar{\Sigma}_{552} &= -Q_2 - 2R_2 \end{aligned} \quad (3.20)$$

Moreover, if the previous conditions are satisfied, an acceptable state-space realization of the H_∞ filter

is given by

$$A_f = \bar{A}_f \bar{P}_3^{-1}, \quad B_f = \bar{B}_f, \quad C_f = \bar{C}_f \bar{P}_3^{-1}. \quad (3.21)$$

Proof. Defining

$$P = \begin{bmatrix} P_1 & P_2^T \\ P_2 & P_3 \end{bmatrix}, \quad J = \begin{bmatrix} I & 0 \\ 0 & P_2^T P_3^{-1} \end{bmatrix} \quad (3.22)$$

then $P_1 > 0$ and $P_1 - \bar{P}_3 > 0$. Choose the LKF candidate as (3.4), and set

$$\begin{aligned} \Delta &= \text{diag}\{J, I, I, I, I, I, I\}, & \bar{A}_f &= P_2^T A_f P_3^{-1} P_2, & \bar{B}_f &= P_2^T P_3^{-1} B_f, \\ \bar{C}_f &= P_2^T P_3^{-T} P_2, & \bar{P}_3 &= P_2^T P_3^{-T} P_2. \end{aligned} \quad (3.23)$$

Pre- and postmultiplying (3.1) and (3.2) by Δ and Δ^T , respectively, we can obtain that (3.1) is equivalent to (3.17), and (3.2) is equivalent to (3.18). Thus, we can conclude from Theorem 3.2 that the error systems are globally asymptotically stable with the H_∞ attenuation level γ . In addition, the filter matrices A_f , B_f , and C_f can be constructed from (3.21). This completes the proof. \square

Remark 3.3. When τ_1 , τ_2 , and μ are given, matrix inequalities (3.17) and (3.18) are linear matrix inequalities in matrix variables P_1 , \bar{P}_3 , Q_1 , Q_2 , Q_3 , R_1 , R_2 , P_2 , \bar{A}_f , \bar{B}_f , and \bar{C}_f , which can be efficiently solved by the developed interior point algorithm [24]. Meanwhile, it is easy to find the minimal attenuation level γ .

Remark 3.4. From the proof process of Theorem 3.1, one can clearly see that neither model transformation nor bounding technique for cross terms is used. Therefore, the obtained filter design method is expected less conservative. It is well known that the number of variables has a great influence on the computation burden. The number of variables involved in the LMIs (3.17)–(3.19) is $(9/2)n^2 + (7/2)n + 2n$. However, the numbers of variables in [22] is $15n^2 + 5n$. With much fewer matrix variables Theorem 3.2 also saves much computation than Theorem 2 in [22].

3.3. Robust H_∞ Filter

On the basis of the result of Theorem 3.2, it is easy to obtain the network-based robust H_∞ filter design for the uncertain systems (2.1) with uncertainties $\Delta A(t)$, $\Delta B(t)$, and $\Delta C(t)$ satisfying (2.2)–(2.3).

Theorem 3.5. Consider the uncertain system in (2.1). A filter of form (2.12) and constants τ_1 and τ_2 , the filtering error system is robust globally asymptotically stable with performance γ , if there exist

real matrices $P_1 > 0, \bar{P}_3 > 0, Q_1 > 0, Q_2 > 0, Q_3 > 0, R_1 > 0$, and $R_2 > 0$ and any matrices \bar{A}_f, \bar{B}_f , and \bar{C}_f , and scalars $\varepsilon_1 > 0$ and $\varepsilon_2 > 0$ such that the following LMIs and (3.19) are satisfied:

$$\begin{bmatrix} \widehat{\Sigma}_{11} & \bar{A}_f + A^T \bar{P}_3 & \bar{B}_f G C & R_1 & 0 & \widehat{\Sigma}_{16} & A^T \mathcal{R} & L^T & P_1 M_1 & \bar{B}_f G M_2 \\ * & \bar{A}_f + \bar{A}_f^T & \bar{B}_f G C & 0 & 0 & \bar{P}_3 B & 0 & -\bar{C}_f^T & \bar{P}_3 M_1 & \bar{B}_f G M_2 \\ * & * & \widehat{\Sigma}_{33} & 2R_2 & R_2 & 0 & 0 & 0 & 0 & 0 \\ * & * & * & \bar{\Sigma}_{441} & 0 & 0 & 0 & 0 & 0 & 0 \\ * & * & * & * & \bar{\Sigma}_{551} & 0 & 0 & 0 & 0 & 0 \\ * & * & * & * & * & \widehat{\Sigma}_{66} & B^T \mathcal{R} & 0 & 0 & 0 \\ * & * & * & * & * & * & -\mathcal{R} & 0 & \mathcal{R} M_1 & 0 \\ * & * & * & * & * & * & * & -I & 0 & 0 \\ * & * & * & * & * & * & * & * & -\varepsilon_1 I & 0 \\ * & * & * & * & * & * & * & * & * & -\varepsilon_2 I \end{bmatrix} < 0, \quad (3.24)$$

$$\begin{bmatrix} \widehat{\Sigma}_{11} & \bar{A}_f + A^T \bar{P}_3 & \bar{B}_f G C & R_1 & 0 & \widehat{\Sigma}_{16} & A^T \mathcal{R} & L^T & P_1 M_1 & \bar{B}_f G M_2 \\ * & \bar{A}_f + \bar{A}_f^T & \bar{B}_f G C & 0 & 0 & \bar{P}_3 B & 0 & -\bar{C}_f^T & \bar{P}_3 M_1 & \bar{B}_f G M_2 \\ * & * & \widehat{\Sigma}_{33} & 2R_2 & R_2 & 0 & 0 & 0 & 0 & 0 \\ * & * & * & \bar{\Sigma}_{442} & 0 & 0 & 0 & 0 & 0 & 0 \\ * & * & * & * & \bar{\Sigma}_{552} & 0 & 0 & 0 & 0 & 0 \\ * & * & * & * & * & \widehat{\Sigma}_{66} & B^T \mathcal{R} & 0 & 0 & 0 \\ * & * & * & * & * & * & -\mathcal{R} & 0 & \mathcal{R} M_1 & 0 \\ * & * & * & * & * & * & * & -I & 0 & 0 \\ * & * & * & * & * & * & * & * & -\varepsilon_1 I & 0 \\ * & * & * & * & * & * & * & * & * & -\varepsilon_2 I \end{bmatrix} < 0,$$

where

$$\begin{aligned} \widehat{\Sigma}_{11} &= P A_1 + A_1^T P + Q_1 + Q_2 + Q_3 - R_1 + \varepsilon_1 N_1^T N_1, & \widehat{\Sigma}_{16} &= P_1 B + \varepsilon_1 N_2^T N_1, \\ \widehat{\Sigma}_{33} &= -(1 - \mu) Q_3 - 3R_2 + \varepsilon_1 N_3^T N_3, & \widehat{\Sigma}_{66} &= -\gamma^2 I + \varepsilon_1 N_2^T N_2. \end{aligned} \quad (3.25)$$

Moreover, if the previous conditions are satisfied, an acceptable state-space realization of the H_∞ filter A_f, B_f , and C_f are given by (3.21).

Proof. Replace A, B and C in the LMIs (3.17) and (3.18) with $A + \Delta A(t), B + \Delta B(t)$ and $C + \Delta C(t)$, respectively, then the LMIs (3.17) and (3.18) can be rewritten as

$$\begin{aligned} \Upsilon_1 + \chi_1 F_1(t) \chi_2 + \chi_2^T F_1^T(t) \chi_1^T + \chi_3 F_2(t) \chi_4 + \chi_4^T F_2^T(t) \chi_3^T &< 0, \\ \Upsilon_2 + \chi_1 F_1(t) \chi_2 + \chi_2^T F_1^T(t) \chi_1^T + \chi_3 F_2(t) \chi_4 + \chi_4^T F_2^T(t) \chi_3^T &< 0, \end{aligned} \quad (3.26)$$

where

$$\begin{aligned}
 \chi_1 &= [M_1^T P_1 M_1^T \bar{P}_3 \ 0 \ 0 \ 0 \ 0 \ M_1^T \mathcal{R}]^T, \\
 \chi_2 &= [N_1 \ 0 \ 0 \ 0 \ 0 \ N_2 \ 0 \ 0], \\
 \chi_3 &= [M_2^T \ G \bar{B}_f^T \ M_2^T \ G \bar{B}_f^T \ 0 \ 0 \ 0 \ 0 \ 0 \ 0]^T, \\
 \chi_4 &= [0 \ 0 \ N_3 \ 0 \ 0 \ 0 \ 0 \ 0].
 \end{aligned} \tag{3.27}$$

By Lemma 2.5, there exist scalars $\varepsilon_1 > 0$ and $\varepsilon_2 > 0$ such that

$$\begin{aligned}
 \Upsilon_1 + \varepsilon_1^{-1} \chi_1 \chi_1^T + \varepsilon_1 \chi_2^T \chi_2 + \varepsilon_2^{-1} \chi_3 \chi_3^T + \varepsilon_2 \chi_4^T \chi_4 &< 0, \\
 \Upsilon_2 + \varepsilon_1^{-1} \chi_1 \chi_1^T + \varepsilon_1 \chi_2^T \chi_2 + \varepsilon_2^{-1} \chi_3 \chi_3^T + \varepsilon_2 \chi_4^T \chi_4 &< 0,
 \end{aligned} \tag{3.28}$$

then by Lemma 2.3, (3.24) follows directly. \square

Remark 3.6. When the μ is unknown, by setting $Q_3 = 0$, Theorem 3.2 and Theorem 3.5 reduce to a delay-dependent and rate-independent network-based robust H_∞ filter design condition for the uncertain systems (2.1) with uncertainties $\Delta A(t)$, $\Delta B(t)$, and $\Delta C(t)$ satisfying (2.2)-(2.3).

4. Numerical Example

In this section, two examples are given to illustrate the effectiveness and benefits of the proposed approach.

Example 4.1. Consider the system (2.8) with [22]

$$A = \begin{bmatrix} 0.5 & 3 \\ -2 & -5 \end{bmatrix}, \quad B = \begin{bmatrix} -0.5 \\ 0.9 \end{bmatrix}, \quad C = [0 \ 1], \quad L = [1 \ 1]. \tag{4.1}$$

This example has been considered in [22], and assume that $\tau(t)$ satisfies $0.01 \leq \tau(t) \leq 0.2$, $w(t) = 0.1 \sin e^{-0.1t}$ and the sensor has a probabilistic distort, that is, the distort matrix $G = 0.6$. Note that different τ_1 and τ_2 yield different γ_{\min} , to compare with the existing results [22]; we assume that μ is unknown, and by setting $Q_3 = 0$ in Theorem 3.2, the computation results of γ_{\min} under different τ_1 and τ_2 are listed in Tables 1 and 2. Minimum index γ for different μ and $\tau_1 = 0$ is listed in Table 3. From Tables 1–3, it can be seen that the value of γ_{\min} grows for $\tau_2 \rightarrow 20$ and for given τ_1 , which tends to be 0.2143.

To get minimum index γ , the approach in [22] needs 70 decision variables; however, the number of decision variables involved in Theorem 3.2 is only 29, which sufficiently demonstrates the efficiency of the proposed method. With fewer matrix variables the minimum index γ obtained in this paper are less conservative than those in [22].

Table 1: Minimum index γ for unknown μ and $\tau_1 = 0.01$.

τ_2	0.2	0.5	1	5	10	20
[22]	0.2143	0.2143	0.2143	0.2143	0.2143	0.2143
Theorem 3.2	0.1361	0.1900	0.2067	0.2140	0.2142	0.2143

Table 2: Minimum index γ for unknown μ and $\tau_1 = 0$.

τ_2	0.1	0.5	1	5	10	20
[22]	0.2143	0.2143	0.2143	0.2143	0.2143	0.2143
Theorem 3.2	0.0884	0.1903	0.2068	0.2140	0.2142	0.2143

The initial conditions $x(t)$ and $x_f(t)$ are $[0.1 - 0.1]^T$ and $[0.2 - 0.5]^T$, respectively, for an appropriate initial interval. For given $\tau_1 = 0.01, \tau_2 = 0.2$ with $\gamma_{\min} = 0.1361$, according to Theorem 3.2, we can obtain the desired H_∞ filter parameters as follows:

$$A_f = \begin{bmatrix} 74.8448 & -136.6475 \\ 146.4634 & -261.6214 \end{bmatrix}, \quad B_f = \begin{bmatrix} -0.9327 \\ -1.3543 \end{bmatrix}, \quad (4.2)$$

$$C_f = [127.2527 \quad -228.1007].$$

Next, we apply the filter (2.12) with the filter matrices (3.21) to the system (2.8) and obtain the simulation results as in Figures 1–3. Figure 1 shows the state response $x(t)$ under the initial condition. Figure 2 shows error response $e(t) = z(t) - z_f(t)$. Figure 3 shows the the output $z(t)$ and $z_f(t)$. From these simulation results, we can see that the designed H_∞ filter can stabilize the system (2.8) with sensor failures and noise disturbance.

The example conclusively shows that our results are less conservative than the previous ones in [22].

Example 4.2. Consider the uncertain system (2.1) with

$$A = \begin{bmatrix} -5 & 0 & 1 \\ 0 & -4 & 1 \\ 1 & 0 & -3 \end{bmatrix}, \quad B = \begin{bmatrix} 1 \\ -0.5 \\ 0.1 \end{bmatrix}, \quad C = \begin{bmatrix} 1 & 0 & 1 \\ 0 & 1 & 0 \end{bmatrix}, \quad L = [1 \quad 1 \quad 1], \quad (4.3)$$

and the uncertainties of the system are of the forms (2.2) and (2.3) with

$$M_1 = \begin{bmatrix} 0.1 \\ -0.2 \\ 0.1 \end{bmatrix}, \quad N_1 = [0.1 \quad 0.1 \quad 0.1], \quad N_2 = 1, \quad (4.4)$$

$$M_2 = \begin{bmatrix} 0.1 \\ -0.2 \end{bmatrix}, \quad N_3 = [0.1 \quad 0.1 \quad 0.1].$$

Table 3: Minimum index γ for different μ and $\tau_1 = 0$.

τ_2	0.1	0.5	1	5	10	20
$\mu = 0$	0.0797	0.1733	0.1949	0.2122	0.2137	0.2141
$\mu = 0.5$	0.0884	0.1851	0.2005	0.2125	0.2137	0.2142
$\mu \geq 1$	0.0884	0.1903	0.2068	0.2140	0.2142	0.2143
unknown μ	0.0884	0.1903	0.2068	0.2140	0.2142	0.2143




Figure 1: The state response of system $x(t)$ in Example 4.1.




Figure 2: The error response $e(t) = z(t) - z_f(t)$ in Example 4.1.




Figure 3: The output $z(t)$ and $z_f(t)$ in Example 4.1.

We assume $\tau(t)$ satisfies $0 \leq \tau(t) \leq 1$, $w(t) = 0.1 \sin e^{-0.1t}$, and the sensor has a probabilistic distort, that is, the distort matrix

$$G = \begin{bmatrix} 0.5 & 0 \\ 0 & 0.3 \end{bmatrix}. \quad (4.5)$$

When μ is unknown, by setting $Q_3 = 0$ in Theorem 3.5, the minimum achievable noise attenuation level is given by $\gamma = 0.24$ and the correspond filter parameters as follows:

$$A_f = \begin{bmatrix} 53.9212 & -73.0807 & 38.4644 \\ 132.0705 & -156.6194 & 87.3469 \\ -321.6563 & 355.4126 & -233.8653 \end{bmatrix}, \quad B_f = \begin{bmatrix} -0.2813 & -0.7511 \\ -0.4865 & -1.5153 \\ -0.4195 & -1.0039 \end{bmatrix}, \quad (4.6)$$

$$C_f = [-192.4663 \quad 205.3754 \quad -136.1696].$$

When $\mu = 0.5$, by Theorem 3.5, the minimum achievable noise attenuation level is given by $\gamma = 0.24$ and the correspond filter parameters as follows:

$$A_f = \begin{bmatrix} 41.5346 & -62.0934 & 26.4966 \\ 104.1741 & -131.5645 & 66.4086 \\ -218.6961 & 248.5441 & -162.7258 \end{bmatrix}, \quad B_f = \begin{bmatrix} -0.2547 & -0.7358 \\ -0.5284 & -1.6716 \\ -0.5576 & -1.3325 \end{bmatrix}, \quad (4.7)$$

$$C_f = [-132.7246 \quad 143.3911 \quad -97.2733].$$

The initial conditions $x(t)$ and $x_f(t)$ are $[0.3 \quad -0.1 \quad -0.2]^T$ and $[-0.1 \quad -0.1 \quad -0.3]^T$, respectively, for an appropriate initial interval. Next, we apply the filter (2.12) with the




Figure 4: The state response of system $x(t)$ in Example 4.2.




Figure 5: The error response $e(t) = z(t) - z_f(t)$ in Example 4.2.

filter matrices (3.21) to the uncertain system (2.1) and obtain the simulation results as in Figures 4–6. Figure 4 shows the state response $x(t)$ under the initial condition. Figure 5 shows error response $e(t) = z(t) - z_f(t)$. Figure 6 shows the the output $z(t)$ and $z_f(t)$. From these simulation results, we can see that the designed H_∞ filter can stabilize the system (2.1) with sensor failures and noise disturbance.




Figure 6: The output $z(t)$ and $z_f(t)$ in Example 4.2.

5. Conclusions

In this paper the network-based robust H_∞ filtering for the uncertain system with sensor failures and noise disturbance has been developed. A new type of Lyapunov-Krasovskii functional has been constructed to derive a less conservative sufficient condition for a linear full-order filter in terms of LMIs, which guarantees a prescribed H_∞ performance index for the filtering error system. Two numerical examples have shown the usefulness and effectiveness of the proposed filter design method. Finally, our future study will focus mainly on the following two issues: (1) to further improve our results by using the delay decomposition LKF. (2) When the noise is stochastic, that is to say, the network-based robust H_∞ filtering for the uncertain system with sensor failures and stochastic noise could be considered.

References

- [1] J. Hespanha, P. Naghshtabrizi, and Y. Xu, "A survey of recent results in networked control systems," *Proceedings of the IEEE*, vol. 95, no. 1, pp. 138–162, 2007.
- [2] T. Yang, "Networked control system: a brief survey," *IEE Proceedings Control Theory and Applications*, vol. 153, no. 4, pp. 403–412, 2006.
- [3] X. Tang and J. Yu, "Networked control system: survey and directions," in *Proceedings of the Life system modeling and simulation 2007 international conference on Bio-Inspired computational intelligence and applications (LSMS'07)*, pp. 473–481, 2007.
- [4] R. Yang, P. Shi, and G.-P. Liu, "Filtering for discrete-time networked nonlinear systems with mixed random delays and packet dropouts," *IEEE Transactions on Automatic Control*, vol. 56, no. 11, pp. 2655–2660, 2011.
- [5] H. Song, L. Yu, and W. A. Zhang, "Networked H_∞ filtering for linear discrete-time systems," *Information Sciences*, vol. 181, no. 3, pp. 686–696, 2011.
- [6] H. Zhang, Y. Shi, and A. Saadat Mehr, "Robust energy-to-peak filtering for networked systems with time-varying delays and randomly missing data," *IET Control Theory & Applications*, vol. 4, no. 12, pp. 2921–2936, 2010.

- [7] B. Zhang and W. Zheng, " H_∞ filter design for nonlinear networked control systems with uncertain packet-loss probability," *Signal Processing*, vol. 92, no. 6, pp. 1499–1507, 2012.
- [8] W. A. Zhang, L. Yu, and H. Song, " H_∞ filtering of networked discrete-time systems with random packet losses," *Information Sciences*, vol. 179, no. 22, pp. 3944–3955, 2009.
- [9] B. Jiang, Z. Mao, and P. Shi, " H_∞ -filter design for a class of networked control systems via T-S fuzzy-model approach," *IEEE Transactions on Fuzzy Systems*, vol. 18, no. 1, pp. 201–208, 2010.
- [10] H. Dong, Z. Wang, and H. Gao, "Robust H_∞ filtering for a class of nonlinear networked systems with multiple stochastic communication delays and packet dropouts," *IEEE Transactions on Signal Processing*, vol. 58, no. 4, pp. 1957–1966, 2010.
- [11] A. Tellili, M. N. Abdelkrim, and M. Benrejeb, "Reliable H_∞ control of multiple time scales singularly perturbed systems with sensor failure," *International Journal of Control*, vol. 80, no. 5, pp. 659–665, 2007.
- [12] Z. Gao, T. Breikin, and H. Wang, "Reliable observer-based control against sensor failures for systems with time delays in both state and input," *IEEE Transactions on Systems, Man and Cybernetics A*, vol. 38, no. 5, pp. 1018–1029.
- [13] X. He, Z. Wang, and D. Zhou, "Robust H_∞ filtering for time-delay systems with probabilistic sensor faults," *IEEE Signal Processing Letters*, vol. 16, no. 5, pp. 442–445, 2009.
- [14] Y. Wang, Y. Zeng, Z. Zuo, and G. Zhang, "Robust output feedback controller design for uncertain delayed systems with sensor failure," in *Proceedings of the 21th Chinese Control and Decision Conference (CCDC '09)*, pp. 4122–4127, June 2009.
- [15] S. Tong, G. Yang, and W. Zhang, "Observer-based fault-tolerant control against sensor failures for fuzzy systems with time delays," *International Journal of Applied Mathematics and Computer Science*, vol. 21, no. 4, pp. 617–627, 2011.
- [16] H. Dong, Z. Wang, D. W. C. Ho, and H. Gao, "Robust H_∞ filtering for Markovian jump systems with randomly occurring nonlinearities and sensor saturation: the finite-horizon case," *IEEE Transactions on Signal Processing*, vol. 59, no. 7, pp. 3048–3057, 2011.
- [17] H. Dong, Z. Wang, D. W. C. Ho, and H. Gao, "Variance-constrained H_∞ filtering for a class of nonlinear time-varying systems with multiple missing measurements: the finite-horizon case," *IEEE Transactions on Signal Processing*, vol. 58, no. 5, pp. 2534–2543, 2010.
- [18] B. Shen, Z. Wang, and X. Liu, "A stochastic sampled-data approach to distributed H_∞ filtering in sensor networks," *IEEE Transactions on Circuits and Systems*, vol. 58, no. 9, pp. 2237–2246, 2011.
- [19] B. Zhang, W. X. Zheng, and S. Xu, "On robust H_∞ filtering of uncertain Markovian jump time-delay systems," *International Journal of Adaptive Control and Signal Processing*, vol. 26, no. 2, pp. 138–157, 2012.
- [20] E. Tian, D. Yue, T. Yang, Z. Gu, and G. Lu, "T-S fuzzy model-based robust stabilization for networked control systems with probabilistic sensor and actuator failure," *IEEE Transactions on Fuzzy Systems*, vol. 19, no. 3, pp. 553–561, 2011.
- [21] X. Zhao, E. Tian, J. Wei, and Y. Yuan, "Reliable H_∞ filter design for nonlinear networked control systems with probabilistic sensor failure," in *Proceedings of the 30th Chinese Control Conference*, pp. 4170–4175, 2011.
- [22] L. Du, Z. Gu, and J. Liu, "Network-based reliable H_∞ filter designing for the systems with sensor failures," in *Proceedings of the International Conference on Modelling, Identification and Control*, pp. 17–19, Okayama, Japan, July 2010.
- [23] H. Shao, "New delay-dependent stability criteria for systems with interval delay," *Automatica*, vol. 45, no. 3, pp. 744–749, 2009.
- [24] S. Boyd, L. Ghaoui, E. Feron, and V. Balakrishnan, *Linear Matrix Inequalities in System and Control Theory*, SIAM, Philadelphia, Pa, USA, 1994.
- [25] K. Gu, V. L. Kharitonov, and J. Chen, *Stability of Time-Delay Systems*, Birkhauser, Boston, Mass, USA, 2003.
- [26] Y. Y. Wang, L. Xie, and C. E. de Souza, "Robust control of a class of uncertain nonlinear systems," *Systems & Control Letters*, vol. 19, no. 2, pp. 139–149, 1992.



Hindawi

Submit your manuscripts at
<http://www.hindawi.com>

