

# Automorphisms of free groups. I — erratum

Laurent Bartholdi

ABSTRACT. I report an error in Theorem A of *Automorphisms of free groups. I*, New York J. Math. **19** (2013), 395–421, where it was claimed that two filtrations of the group of IA automorphisms of a free group coincide up to torsion.

In fact, using a recent result by Day and Putman, I show that, for a free group of rank 3, the opposite conclusion holds, namely that the two series differ rationally.

## 1. Introduction

Let  $F$  denote a free group of rank  $r$ . Filter  $F$  by its lower central series  $(F_n)_{n \geq 1}$ , defined by  $F_1 = F$  and  $F_n = [F, F_{n-1}]$ . Let  $A$  denote the automorphism group of  $F$ , and let  $A_1$  denote the kernel of the natural map  $A \rightarrow \mathrm{GL}_r(\mathbb{Z}) = \mathrm{Aut}(F/F')$ . The group  $A_1$  has two natural filtrations: on the one hand, its lower central series, defined as above by  $\gamma_1 = A_1$  and  $\gamma_n = [A_1, \gamma_{n-1}]$ , and on the other hand  $A_n = \ker(A_1 \rightarrow \mathrm{Aut}(F/F_{n+1}))$ . We have  $\gamma_n \leq A_n$  for all  $n$ .

Andreadakis conjectures [1, page 253] that  $A_n = \gamma_n$ , and proves his assertion for  $r = 3, n \leq 3$  and for  $r = 2$ . This is further developed by Pettet [7], who proves that  $\gamma_3$  has finite index in  $A_3$  for all  $r$ , building her work on Johnson’s homomorphism [6].

It was noted in [3, Theorem A] that, if  $r = 3$ , the groups  $\gamma_7$  and  $A_7$  differ, disproving Andreadakis’s conjecture. It was however also erroneously claimed there that  $A_n/\gamma_n$  is a finite group for all  $n$ . The “proof” relied on the unproven assertion that the filtrations  $(\gamma_n)_{n \geq 1}$  and  $(A_n)_{n \geq 1}$  define the same topology on  $A_1$ . Theorem A should be replaced by the following statement:

**Theorem  $\bar{A}$ .** *The filtrations  $(\gamma_n)_{n \geq 1}$  and  $(A_n)_{n \geq 1}$  differ rationally at  $n = 4$  for  $r = 3$ , and we have*

$$(A_4/\gamma_4) \otimes \mathbb{Q} \cong \mathbb{Q}^3.$$

Received September 20, 2016.

2010 *Mathematics Subject Classification.* 20E36, 20F28, 20E05, 20F40.

*Key words and phrases.* Lie algebra; Automorphism groups; Lower central series.

Let  $\widehat{A}_1 = \text{proj lim } A_1/A_n$  denote the completion of  $A_1$  under the filtration  $(A_n)_{n \geq 1}$ , let  $(\widehat{\gamma}_n)_{n \geq 1}$  denote its closed lower central series, and let  $(\widehat{A}_n)_{n \geq 1}$  denote the closure of  $(A_n)_{n \geq 1}$  in  $\widehat{A}_1$ . Then  $\widehat{A}_7/\widehat{\gamma}_7 \cong \mathbb{Z}/3$ .

**Proof.** In [8], Day and Putman give explicit presentations of  $A_1$  for all  $r$ , by generators, relators and endomorphisms (see [2]). Here is a small adaptation of their result. Let  $E$  be the free group generated by the set

$$S := \{M_{i,[j,k]} : 1 \leq j \neq i \neq k \leq r, j < k\} \cup \{C_{i,j} : 1 \leq i \neq j \leq r\}.$$

These are the Magnus generators of  $A_1$ , and act on  $F$  respectively by

$$x_i \mapsto x_i[x_j, x_k] \quad \text{and} \quad x_i \mapsto x_i^{x_j},$$

all other generators being fixed.

Day and Putman give explicit finite sets  $R \subset E'$  (of size around 30) and  $\Theta \subset \text{End}(E)$  (of size around 4) such that

$$A_1 \cong \langle S \mid w^\theta \text{ for all } w \in R \text{ and all } \theta \in \Theta^* \rangle.$$

Furthermore,  $\Theta$  induces automorphisms of  $A_1$  that generate the conjugation action of  $\text{Aut}(F)$  on  $A_1$ .

Using the algorithm described in [4], implemented in [5], it is possible to compute nilpotents quotients of  $A_1$  of arbitrary class. I entered Day and Putman’s presentation in GAP for  $r = 3$ , and computed (in about 1 minute) its class-4 quotient. The result, atop the calculations in [3] gives (with  $a^b$  for  $(\mathbb{Z}/a\mathbb{Z})^b$ )

$n =$	1	2	3	4
$\gamma_n/\gamma_{n+1}$	$\mathbb{Z}^9$	$\mathbb{Z}^{18}$	$\mathbb{Z}^{43} \times 2^{14} \times 3^9$	$\mathbb{Z}^{123} \times 2^{50} \times 4^3 \times 8^3 \times 3^{45} \times 9^9$
$A_n/A_{n+1}$	$\mathbb{Z}^9$	$\mathbb{Z}^{18}$	$\mathbb{Z}^{43}$	$\mathbb{Z}^{120}$

We deduce  $A_5/\gamma_5 \cong \mathbb{Z}^3 \times \text{torsion}$ .

For the second claim, it suffices to note that the computer calculations described in [3] actually manipulate (approximations of) the group  $\widehat{A}_1$  rather than  $A_1$ . □

### Acknowledgments

I am grateful to Matt Day and Andy Putman for their generous insights, discussions and patience in resolving the discrepancy between their work and the original Theorem A.

### References

[1] ANDREADAKIS, STYLIANOS. On the automorphisms of free groups and free nilpotent groups. *Proc. London Math. Soc.* (3) **15** (1965), 239–268, [MR0188307](#) (32 #5746), [Zbl 0135.04502](#).  
 [2] BARTHOLDI, LAURENT. Endomorphic presentations of branch groups. *J. Algebra* **268** (2003), no. 2, 419–443. [MR2009317](#) (2004h:20044), [Zbl 1044.20015](#), [arXiv:math/0007062](#), doi: [10.1016/S0021-8693\(03\)00268-0](#).

- [3] BARTHOLDI, LAURENT. Automorphisms of free groups. I. *New York J. Math* **19** (2013), 395–421. MR3084710, Zbl 1288.20039, arXiv:math/1304.0498.
- [4] BARTHOLDI, LAURENT; EICK, BETTINA; HARTUNG, RENÉ. A nilpotent quotient algorithm for certain infinitely presented groups and its applications, *Internat. J. Algebra Comput.* **18** (2008), no. 8, 1321–1344. MR2483125 (2010h:20002), Zbl 1173.20023, arXiv:0706.3131, doi: 10.1142/S0218196708004871.
- [5] HARTUNG, RENÉ. LPRES — L-Presented Groups, Version 0.3.0. 2016. <http://laurentbartholdi.github.io/lpres/>.
- [6] JOHNSON, DENNIS. An abelian quotient of the mapping class group  $\mathcal{I}_g$ . *Math. Ann.* **249** (1980), no. 3, 225–242. MR579103 (82a:57008), Zbl 0409.57009.
- [7] PETTET, ALEXANDRA. The Johnson homomorphism and the second cohomology of  $IA_n$ . *Algebr. Geom. Topol.* **5** (2005), 725–740. MR2153110 (2006j:20050), Zbl 1085.20016, arXiv:math/0501053.
- [8] DAY, MATTHEW B.; PUTMAN, ANDREW. On the second homology group of the Torelli subgroup of  $\text{Aut}(F_n)$ . arXiv:1408.6242.

[laurent.bartholdi@gmail.com](mailto:laurent.bartholdi@gmail.com)

<http://www.uni-math.gwdg.de/laurent>

(Laurent Bartholdi) DÉPARTEMENT DE MATHÉMATIQUES ET APPLICATIONS, ÉCOLE NORMALE SUPÉRIEURE, PARIS *and* MATHEMATISCHES INSTITUT, GEORG-AUGUST UNIVERSITÄT ZU GÖTTINGEN

This paper is available via <http://nyjm.albany.edu/j/2016/22-52.html>.