

SQUAD simulation results analysis using the SQUADD package

Martial Sankar

October 24, 2023

1 SQUADD: the SQUAD add-on

Logical modeling is increasingly popular method in system biology to explain and predict the behavior of a complex process (differentiation, cell growth, division etc...) through their regulatory and signalling mechanisms. The SQUAD software (Standardized Qualitative Dynamical Systems) is dedicated to the analysis of Boolean logical models [1]. It was the first tool to combine the traditional Boolean approach and a continuous system. This novel feature permits the dynamical analysis of regulatory network in the absence of kinetic data [5], [4], [1]. In order to improve this approach, we provide the R package SQUADD, the SQUAD add-on. This extension permits: (i) to simplify the visualization of the initial SQUAD simulation output, (ii) to generate qualitative predictions of the component change between two conditions and (iii) to assess the coherence of a network model using PCA analysis.

2 Example of SQUAD Simulation

1. SQUAD software can be downloaded at <http://www.enfin.org/wiki/doku.php?id=enfin:squad:start>.
2. Install and open it.
3. Create a network model or use the xml file, containing a sample model *complete_model_511.xml* for the following steps. Load it in SQUAD.
4. To visualize the network, click on the View tab.
5. Then Advance, then Perturbator.
6. Click on Edit Perturbator to set the pertubation on your model or load the provided pertubation file, *pert_samples_m511.prt* if you use the sample model.
7. Click Initialize, then click run to run simulations with perturbations.
8. When the simulation window appears, press Ctrl+T to open the result table and save it (Ctrl+S) into a folder. When naming files, **add an index number in the file name** (i.e. *1_lof.txt*, *2_rescue.txt* etc...). This

folder should contain six files, one for each perturbed model simulation (for the sample network, folder and files can be found in the zip file, *simRes.zip*, or in the data folder of the SQUADD package).

3 Example of SQUADD analysis

```
> library(SQUADD)
```

The package was built using S4 classes and methods. Before launching a function, the user should call the constructor to construct an instance of the Class *SquadSimResServiceImpl*.

The constructor is: *simResService()*. Do not forget to use the *help()* function to obtain R help.

To obtain a table of fitted values, construct the object of Class *SquadSimResServiceImpl*:

```
> # construct instance of SquadSimResServiceImpl
> fpath <- system.file("extdata", package="SQUADD")
> folder <- file.path(fpath,"data_IAA")
> sim <- simResService (folder=folder,
+                       time= 45,
+                       ncolor=5,
+                       legend= c("ARF(a)", "ARF(i)", "AR_Genes", "Aux/IAA",
+                                "BES1/BZR1", "BIN2", "BR", "BRI1BAK1", "BRR_Genes", "BRX", "BR_Biosynt
+                                method="lowess")
```

3.1 Display the simulation matrix

The *plotSimMatrix* method permits to analyse the individual node's behavior during each perturbed condition. The shape of the response curve reflects the network topologies and the initial SQUAD parameters (Figure 1). The user can select the node to analyse by filling the *selectNode* attribute of the object.

```

> sim["selectNode"] <-c("DO", "IAA_Biosynthesis", "BR_Biosynthesis", "IAA", "BR")
> plotSimMatrix(sim)

/tmp/RtmpbCbao2/Rinst1c69cc73a82e51/SQUADD/extdata/data_IAA/brx_1_normal.txt
/tmp/RtmpbCbao2/Rinst1c69cc73a82e51/SQUADD/extdata/data_IAA/brx_2_brxlof.txt
/tmp/RtmpbCbao2/Rinst1c69cc73a82e51/SQUADD/extdata/data_IAA/brx_3_brrescue.txt
/tmp/RtmpbCbao2/Rinst1c69cc73a82e51/SQUADD/extdata/data_IAA/brx_4_brxarfi.txt
/tmp/RtmpbCbao2/Rinst1c69cc73a82e51/SQUADD/extdata/data_IAA/brx_5_brxarfiRescue.txt
/tmp/RtmpbCbao2/Rinst1c69cc73a82e51/SQUADD/extdata/data_IAA/brx_6_gain.txt

```




Figure 1: Simulation matrix for the selected five nodes, DO, IAA Biosynthesis, BR Biosynthesis, IAA and BR (respectively in black, red, green, blue, cyan). The columns represent the nodes, the rows represent the conditions. Each cell shows the specific response curve for the corresponding conditions. The red line is the least-square fitted line. It indicates the tendency of the response.

3.2 Obtain the matrix of fitted values

The *getFittedTable* method permits to obtain a matrix of the interpolated value of the response curve at a user-defined time point. The interpolation can be done either linearly or locally (lowess). Users can choose one of them by filling the *method* attribut of an object of Class *SquadSimResServiceImpl*. In this example, the values were interpolated using the lowess method at t=45 (see section 3).

```
> tab <- getFittedTable(sim)
```

3.3 Display the prediction heatmap

Biological experiments generate more and more quantitative data. However, classical logical models are prone to reflect the qualitative nature of a system, but fail to predict the outcome of biological experiments that yield quantitative data. SQUAD was the first software to assess this issue. It was built around a standardized method [3] that translate a Boolean model into a continuous one. The SQUADD package through the *plotPredMap* method takes full advantage of this novel feature. It generates a heatmap of predictions of the component's activation state change between two experiments. A ratio is therefore calculated between the interpolated values of the current condition (numerator) and a reference condition (denominator). The latter is chosen by setting the *indexDeno* attribut. In this example we chose *indexDeno*=1 (see section 3), which corresponds to the index of the first result file *brx_1_normal.txt* (Figure 2).

```
> plotPredMap(sim)
```





Figure 2: Prediction heatmap. The rows represent the ratios between conditions, the columns represent the network components. The blue intensities (from white to dark blue) show the activation patterns (respectively, from under-activated to over-activated).

3.4 Display the correlation circle

We suggest to use a principal component analysis (PCA) to assess the coherence of the prediction supplied by one model. PCA can be visualized as a correlation circle, which can be displayed by applying the *plotCC* method of the Class *SquadSimResServiceImpl* (Figure 3).

```
> # Fill the field conditionList of the object sim
> sim["conditionList"] <- c("Normal", "brxlof", "BRrescue", "brxarfilof", "brxarfiBRrescue",
> plotCC(sim)
```



4 Session info

```
> sessionInfo()

R Under development (unstable) (2023-10-22 r85388)
Platform: x86_64-pc-linux-gnu
Running under: Ubuntu 22.04.3 LTS

Matrix products: default
BLAS: /home/biocbuild/bbs-3.19-bioc/R/lib/libRblas.so
LAPACK: /usr/lib/x86_64-linux-gnu/lapack/liblapack.so.3.10.0

locale:
 [1] LC_CTYPE=en_US.UTF-8      LC_NUMERIC=C
 [3] LC_TIME=en_US.UTF-8      LC_COLLATE=en_US.UTF-8
 [5] LC_MONETARY=en_US.UTF-8  LC_MESSAGES=en_US.UTF-8
 [7] LC_PAPER=en_US.UTF-8     LC_NAME=C
 [9] LC_ADDRESS=C             LC_TELEPHONE=C
[11] LC_MEASUREMENT=en_US.UTF-8 LC_IDENTIFICATION=C

time zone: America/New_York
tzcode source: system (glibc)

attached base packages:
[1] stats      graphics  grDevices  utils      datasets  methods    base

other attached packages:
[1] SQUADD_1.53.0

loaded via a namespace (and not attached):
[1] compiler_4.4.0      tools_4.4.0          RColorBrewer_1.1-3
```

5 Perspectives

- * better access to the plot function parameters
- * Improve plotCC: Title to define, label of vector to localize
- * Improve the simulation matrix: set row names (conditions) and column names (selected nodes).

6 Reference

References

- [1] Di Cara A, Garg A, De Micheli G, Xenarios I, and Mendoza L. Dynamic simulation of regulatory networks using squad. *BMC Bioinformatics*, 2007.
- [2] Scacchi E, Osmont KS, Beuchat J, Salinas P, Navarrete-Gomez M, Trigueros Mand Ferrandiz C, and Hardtke CS. Dynamic, auxin-responsive plasma membrane-to-nucleus movement of arabidopsis brx. *Development*, 2009.
- [3] Mendoza L and Xenarios I. A method for the generation of standardized qualitative dynamical systems of regulatory networks. *Theor Biol Med Model*, 2006.
- [4] Philippi N, Walter D, Schlatter R, Ferreira K, Ederer M, Sawodny O, Timmer J, Borner C, and Dandekar T. Modeling system states in liver cells: survival, apoptosis and their modifications in response to viral infection. *BMC Syst Biol.*, 2009.
- [5] Yara-Elena Sanchez-Corrales, Elena R. Alvarez-Buylla, and Luis Mendoza. The arabidopsis thaliana flower organ specification gene regulatory network determines a robust differentiation process. *Journal of Therapeutic Biotechnology*, 2010.